

MK 1060YM - 760mm x 1060mm Automatic Platen Hot Stamping + Cutting & Creasing Press



A great opportunity to purchase a top quality MK 1060YM 760mmx1060mm Automatic Platen Hot stamping press.

Our Ref: 1060YM/ 2473/2014

Key Features: Year: 2014

Masterwork Graphic Equipment MK 1060YM

Very good condition 4 foil pull rollers

Dual function of foil stamping and die cutting

Non – stop paper preload system

Nine electronic detectors for foil breakage

Speed slow – down at front guides for thin paper

Can be viewed in operation

Price: On Request





MK 1060YM 760mmx1060mm Automatic Platen Hot Stamping + Cutting & Creasing

Base machine

Features:

- Max sheet size 750mm x 1060mm
- Non-stop paper pre-load system
- Speed slow down at front guides for thin paper
- Dual function of foil stamping and die cutting
- Pneumatic lock-up of foiling & cutting chase.
- Micro adjustment of platen pressure in increments of 0.01mm
- High precision, high speed sheet register lays



Foil system

Features:


- 4 Foil draw rollers pull-through unit
- Foil feeder with carriage allows operator easily pull it out to load foils
- Foil control system up to 220mm diameter
- Four foil rolls loading capacity (3, 5 or 6 rolls as optional)
- Servo motor controlled foil feeding and collection
- Used foil collection rollers synchronized with foil feeding



Heated bed

Features:

- Honeycomb chase High heat resistant steel with excellent dimensional stability
- Micro die adjust available standard toggles
- 2 Teflon rollers on honeycomb chase used to separate foil from chase
- Set for 6.35mm / 7.00mm dies



Electrical system

Features:

- Foil drives use servo motors to individually control foil feeding rollers
- Nine electronic detectors for foil breakage Machine stops, buzzer sounds
- PLC control system



Contact us today for more details

Tel: +44 (0)1449 553400 Email: info@sfservices.com





MK 1060YM 760mmx1060mm Automatic Platen Hot Stamping + Cutting & Creasing

Maintenance history and documentation

The machine includes:

- Machine documentation
 - Operators manual
 - Parts Manual
 - Electrical wiring diagram



Installation, commissioning and requirements

The machine dimensions are:

Weight 18T, length 5,800mm x width 4,550mm x height 2,050mm The electrical supply requirement is: 3 Phase 50Hz 380 – 415V 46Kw Air supply: 0.55~0.7Mpa,>0.6 cubic m/min

SF Services can install and commission the machine anywhere in the world using our own skilled engineers. Please ask for a price.



Warranty

This machine is offered with 3 Months parts warranty, subject to our terms and conditions, which are available on request.



Disclaimer

These details have been prepared in good faith but do not form part of any contract. It is for the purchaser to inspect the machine and satisfy themselves as to the suitability and condition of the machine prior to entering any contract







MK 1060YM 760mmx1060mm Automatic Platen Hot Stamping + Cutting & Creasing

Paper Handling

Maximum Foiling Mechanical Speed Max. Die Cutting Mechanical Speed Maximum Sheet Size Minimum Sheet Size Maximum Stamping Area Maximum Die Cutting Area

5,500 Impressions per hour 6,500 Impressions per hour 760mm x 1060mm 370mm x 450mm 730mm x 1020mm 745mm x 1045mm

Paperboard 0.1 – 2.00mm / Corrugated board 4.00mm

Foil Handling

Maximum foil diameter
Foil core size
Number of foil rewinds

Maximum Sheet Thickness

Maximum foil roll width Number of Lengths per program Number of pulls per length 220mm 25.4mm 4 Full width

1020mm (full width)

Up to 99

Pull Resolution **Up to 99**O.075mm

Heating

Temperature range Heating zones Die Height 0-200 degrees centigrade

- -

eight **6.35mm - 7mm**

General

Dimensions approximate Weight

Weight Air Supply Machine power supply 2,050mm (H) x 3,700mm (W) x 5,800mm (L)

18 Ton (approximately.)

0.55~0.7Mpa,>0.6 cubic m/min

3 Phase neutral and earth connections 380 / 415 / 440 V

50 / 60 Hz, 100 amps per phase, 46 kW

