



vices.c

4 Berwick Road, Ipswicn, IP3 9RY, England

Cutting & Creasing Press



A great opportunity to purchase a fully refurbished by MK China – MKZD 1060YM 760mmx1060mm Automatic Platen Hot stamping press.

Our Ref: 1060YM/ 2474/2024

Year: (Fully refurbished 2024) Key Features: Masterwork Graphic Equipment MKZD 1060YM Excellent condition (As New) 4 foil pull rollers Dual function of foil stamping and die cutting Non – stop paper preload system Nine electronic detectors for foil breakage Speed slow – down at front guides for thin paper Can be viewed in operation

> Price: **On Request**



BPif picon



MKZD 1060YM 760mmx1060mm Automatic Platen Hot Stamping + Cutting & Creasing

services.com

Base machine

Features:

- Max sheet size 750mm x 1060mm
- Non-stop paper pre-load system
- Speed slow down at front guides for thin paper
- Dual function of foil stamping and die cutting
- Pneumatic lock-up of foiling & cutting chase.
- Micro adjustment of platen pressure in increments of 0.01mm
- High precision, high speed sheet register lays



Features:

- 4 Foil draw rollers pull-through unit
- · Foil feeder with carriage allows operator easily pull it out to load foils
- Foil control system up to 220mm diameter
- Four foil rolls loading capacity (3, 5 or 6 rolls as optional)
- Servo motor controlled foil feeding and collection
- Used foil collection rollers synchronized with foil feeding

Heated bed

Features:

- Honeycomb chase High heat resistant steel with excellent dimensional stability
- Micro die adjust available standard toggles
- 2 Teflon rollers on honeycomb chase used to separate foil from chase
- Set for 6.35mm / 7.00mm dies

Electrical system

Features:

- Foil drives use servo motors to individually control foil feeding rollers
- Nine electronic detectors for foil breakage Machine stops, buzzer sounds
- PLC control system





MKZD 1060YM 760mmx1060mm Automatic Platen Hot Stamping + Cutting & Creasing

Maintenance history and documentation

The machine includes:

• Machine documentation

- Operators manual
- Parts Manual
- Electrical wiring diagram

Installation, commissioning and requirements

The machine dimensions are: Weight 18T, length 5,800mm x width 4,550mm x height 2,050mm The electrical supply requirement is: 3 Phase 50Hz 380 – 415V 46Kw Air supply: 0.55~0.7Mpa,>0.6 cubic m/min

SF Services can install and commission the machine anywhere in the world using our own skilled engineers. Please ask for a price.

Warranty

This machine is offered with 6 Months parts warranty, subject to our terms and conditions, which are available on request.







Disclaimer

These details have been prepared in good faith but do not form part of any contract. It is for the purchaser to inspect the machine and satisfy themselves as to the suitability and condition of the machine prior to entering any contract







MKZD 1060YM 760mmx1060mm Automatic Platen Hot Stamping + Cutting & Creasing

/ices.com

| Paper Handling Maximum Foiling Mechanical Speed Max. Die Cutting Mechanical Speed Maximum Sheet Size Minimum Sheet Size Maximum Stamping Area Maximum Die Cutting Area Maximum Sheet Thickness | 5,500 Impressions per hour 6,500 Impressions per hour 760mm x 1060mm 370mm x 450mm 730mm x 1020mm 745mm x 1045mm Paperboard 0.1 – 2.00mm / Corrugated board 4.00mm |
|--|--|
| Foil Handling Maximum foil diameter Foil core size Number of foil rewinds Maximum foil roll width Number of Lengths per program Number of pulls per length Pull Resolution | 220mm 25.4mm 4 Full width 1020mm (full width) 5 Up to 99 0.075mm |
| Heating Temperature range Heating zones Die Height | 0-200 degrees centigrade 12 6.35mm - 7mm |
| General Dimensions approximate Weight Air Supply Machine power supply | 2,050mm (H) x 3,700mm (W) x 5,800mm (L) 18 Ton (approximately.) 0.55~0.7Mpa,>0.6 cubic m/min 3 Phase neutral and earth connections 380 / 415 / 440 V 50 / 60 Hz, 100 amps per phase, 46 kW |

